

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	(arrival near4 time\$2) with (available\$3 near3 bandwidth) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 18:57
L2	1	("7039034").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/02 19:01
L3	5	(wireless or mobile or cellular) near2 (station\$2 or node\$2 or terminal\$2) with download\$2 near4 every and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 19:37
L4	0	(wireless or mobile or cellular) near2 (station\$2 or node\$2 or terminal\$2) with receiv\$5 near5 every (minute\$2 or second2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 19:39
L5	0	(wireless or mobile or cellular) near2 (station\$2 or node\$2 or terminal\$2) with receiv\$5 near5 every near3 (minute\$2 or second2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 19:39

L6	10	(wireless or mobile or cellular) near2 (station\$2 or node\$2 or terminal\$2) with receiv\$5 with every near3 (minute\$2 or second2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 19:39
L7	106	(average or mean) near2 rate \$2 with (source\$2 or video\$2 or audio\$2) near2 rate\$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:20
L8	13	(average or mean) near2 rate \$2 with (equal\$2 or same\$2) with (source\$2 or video\$2 or audio\$2) near2 rate\$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:31
L9	0	(average or mean) near2 bitrate \$2 with (equal\$2 or same\$2) with (source\$2 or video\$2 or audio\$2) near2 rate\$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:33
L10	0	(average or mean) near2 bitrate \$2 with (equal\$2 or same\$2) with (source\$2 or video\$2 or audio\$2) near2 (bitrate\$2 or rate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:34
L11	27	7 and ("802.11" or wlan or tdma or cdma\$4 or gsm or wireless or cellular or satellite \$2 )[bsum]	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:35

L12	13	(average or mean) near2 (bitrate\$2 or rate\$2) with (equal \$2 or same\$2) with (source\$2 or video\$2 or audio\$2) near2 (bitrate\$2 or rate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:52
L13	7	throughput with (equal\$2 or same\$2) with (source\$2 or video\$2 or audio\$2) near2 (bitrate\$2 or rate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:55
L14	38	throughput with (source\$2 or video\$2 or audio\$2) near2 (bitrate\$2 or rate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 20:57
L15	1	(US-6404776-\$).did.	USPAT	ADJ	OFF	2008/11/02 21:08
L16	1	15 and (equal\$3 or "same" or constant\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:08
L17	5	(set\$5 or allocat\$4 or assign\$5) near3 (throughput or (average or mean) near2 rate\$2) with (source\$2 or video\$2 or audio \$2) near2 rate\$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:17

L18	5	(set\$5 or allocat\$4 or assign\$5) near3 (throughput or ((average or mean) near2 rate\$2)) with (source\$2 or video\$2 or audio \$2) near2 rate\$2 and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:19
L19	0	(set\$5 or allocat\$4 or assign\$5) near3 (throughput or ((average or mean) near2 bitrate\$2)) with (source\$2 or video\$2 or audio\$2) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:20
L20	116	(select\$5) near3 (throughput or ((average or mean) near2 (bitrate\$2) or rate\$2)) with (source\$2 or video\$2 or audio \$2) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:28
L21	0	(select\$5) near3 (throughput or ((average or mean) near2 (bitrate\$2 or rate\$2))) with (source\$2 or video\$2 or audio \$2) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:29
L22	143	(throughput or ((average or mean) near2 (bitrate\$2 or rate \$2))) with (source\$2 or video \$2 or audio\$2) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:31

L23	22	(throughput or ((average or mean) near2 (bitrate\$2 or rate \$2))) with (equal or "same" or set\$5) with (source\$2 or video \$2 or audio\$2) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:32
L24	6	(throughput or ((average or mean) near2 (bitrate\$2 or rate \$2))) with (equal or "same" or set\$5) with (encoding) near2 (rate\$2 or bitrate\$3) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:40
L25	295	(throughput or ((average or mean) near2 (bitrate\$2 or rate \$2))) with (equal or "same" or set\$5 or is) with (bandwidth) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:44
L26	29	(US-20080049793-\$ or US-20020191643-\$ or US-20030078065-\$ or US-20060046658-\$ or US-20030086375-\$ or US-20030058881-\$ or US-20030016649-\$ or US-20030095561-\$ or US-20030002490-\$ or US-20030148768-\$ or US-20070178888-\$ or US-20040203822-\$ or US-20080137685-\$ or US-20070263657-\$ or US-20050105469-\$ or US-20040204041-\$ or US-20040071096-\$ or US-20070086485-\$ or US-20030016630-\$ or US-20040023660-\$).did. or (US-6778499-\$ or US-6856954-\$ or US-6982969-\$ or US-6754189-\$ or US-6275497-\$ or US-	US-PGPUB; USPAT	ADJ	OFF	2008/11/02 21:50

		7039034-\$ or US-6167253-\$ or US-5546377-\$ or US-6795397-\$).did.				
L27	11	26 and (class\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:50
L28	1	(US-20030148768-\$).did.	US-PGPUB	ADJ	OFF	2008/11/02 21:51
L29	10	27 and (rate\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:52
L30	1	28 and (rate\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 21:52
L31	188	(throughput or ((average or mean) near2 (bitrate\$2 or rate \$2))) with arrival near2 (rate\$2 or bitrate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 22:09
L32	4	((((average or mean) near2 output near3 (bitrate\$2 or rate \$2))) with arrival near2 (rate\$2 or bitrate\$2) and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930") and ("455" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 22:24
L33	7002	370/229-240.ccls. and (@ad<="20030930" or @pd<="20030930" or @rlan<="20030930" or @rlad<="20030930" or @rlpn<="20030930")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/11/02 23:14

11/2/2008 11:15:00 PM

C:\Documents and Settings\kcehic\Desktop\apps\10676941\941.wsp